BERNTSEN® I THE SOURCE FOR YOUR UTILITY PRODUCT NEEDS

BEFOR

ORE

DIGG

DAMAGE PREVENTION MARKERS
UTILITY IDENTIFICATION PRODUCTS
RFID ASSET MARKING PRODUCTS

C

BURIED WATER LINE



P

BEFORE DIGGING CALL CHLLECT

E

R

E

FIND US ONLINE www.berntsen.com **CONTACT US BY EMAIL** utilitymark@berntsen.com **ORDER BY PHONE** 877.265.2306

MARKING THE INFRASTRUCTURE OF THE WORLD™ | WWW.BERNTSEN.COM

OVER 50 UTILITY DECALS TO CHOOSE FROM OR CUSTOMIZE YOUR OWN AT WWW.BERNTSEN.COM



Β

E

R

CARSONITE FIBERGLASS POSTS

Setting a Carsonite Fiberglass Marker is a fast, inexpensive way to mark and protect your underground utility investments saving your company time and money. Carsonite posts are made from a special fiberglass composite that will not rot or get brittle in harsh weather. Posts are lightweight, easy to carry and come with pre-applied standard or custom decals. We recommend installing posts with the Carsonite driver to a buried depth of at least 18".

A. CARSONITE UTILITY POSTS

| ltem # | Description | <20* | 20-80* | 100-280* | 300+ |
|-----------------|--|-------------|------------|-----------|-------|
| CRM3060 | 5' Fiberglass Post (No Decal) | 19.60 | 16.30 | 14.75 | 13.20 |
| CRM3072 | 6' Fiberglass Post (No Decal) | 22.60 | 18.10 | 17.25 | 16.60 |
| | | | | | |
| CARSONITE | DUAL-SIDED UTILITY POSTS | | | | |
| CIB3060 | 5' Fiberglass Post (No Decal) | 17.10 | 14.20 | 13.60 | 13.20 |
| CIB3072 | 6' Fiberglass Post (No Decal) | 21.20 | 17.50 | 16.50 | 15.40 |
| *20 posts per o | ase. Available in Yellow, Orange, Red, | Blue, Greer | n, White & | Brown | |
| | | | | | |
| RMTLPDR1 | Carsonite Post Driver | | | 199.00 ea | ach |
| DECAL | Two-Color Decal Non-Reflective | (Attache | d) | 3.50 ea | ach |

| DECAL | Two-Color Decal Non-Reflective (Attached) | 3.50 each |
|---------|---|-----------|
| DECAL-R | Two-Color Decal Reflective (Attached) | 4.75 each |

B. CARSONITE THIN-LINE FIBERGLASS POSTS


Same great quality as the Carsonite posts, only lighter, thinner & less expensive.

| ltem # | Description | <25** | 25-75**1 | 00-275** | * 300+** |
|----------------|--|--------------|------------|----------|----------|
| TLP5 | 5' Fiberglass Post (No Decal) | 10.75 | 9.35 | 8.60 | 8.00 |
| TLP6 | 6' Fiberglass Post (No Decal) | 11.75 | 10.20 | 9.40 | 8.60 |
| **25 posts per | case. Available in Yellow, Orange, Red | , Blue, Gree | en & White | | |
| | | | | | |

TLPDRVThin-Line Post Driver99.90 eachTLDECALTwo-Color Decal Non-Reflective (Attached)3.00 each

For high visibility and easy identification of underground utility lines









HOW THE INFRAMARKER SYSTEM WORKS

INITIALIZE PREPARE & SET THE MARKER:

Existing data from Excel, GIS systems, original plans, etc., is easily written to the Radio Frequency Identification marker via the InfraMarker software. Up to 64 characters are available in a standard or user-defined format.

INSTALL

InfraMarkers are buried exactly over the asset (or can be offset to your standard) during construction backfill or maintenance. InfraMarker is a "passive" system, powered by radio frequency energy.

LOCATE WHEN THE ASSET NEEDS TO BE FOUND:

Get close with GPS and then locate the buried Infra-Marker fast with a Schonstedt magnetic locator. The strong, distinctive magnetic signal pinpoints the precise location of the marker with golf-ball-diameter accuracy.

VERIFY.....

Simply aim the InfraMarker RFID Reader over the spot located and the RFID tag data is displayed exactly as the day it was installed. This confirms that the correct asset point has been located ... before you start to dig.

DIG

Start digging by hand with confidence that the exact location and asset point has been found. Recover the InfraMarker during excavation to complete visual verification and re-install InfraMarker when work is completed.

CONTROL


You create and control the InfraMarker system, a virtual digital data bridge between the field and the office. InfraMarker is available in several sizes and all APWA colors to mark all types of subsurface utility assets. InfraMarker is also available for above ground assets.



TO SEE HOW YOUR ORGANIZATION COULD BENEFIT FROM THE INFRAMARKER SYSTEM, CALL US TODAY OR VISIT **WWW.INFRAMARKER.COM** TO VIEW VIDEOS AND LEARN MORE.



- Fast
- Accurate
- Cost-Effective
- Easy to Use



CUSTOMIZABLE, DURABLE, UTILITY IDENTIFICATION!

A. BERNTSEN CONCRETE MARKERS AND DRILL BITS

Berntsen aluminum and bronze forged markers with stem hold



| | DRGED 6000 SERIES ALUMINUM | | | 2 | | WARM . |
|--|--|---|---|---|------------------------------|---------------|
| tem # | Description | 1-24 | 25-99 | 100-249 | 250+ | N N |
| CD2 | 2" Domed Concrete Marker (Aluminum) | 6.92 | 5.77 | 4.52 | 3.84 | OR |
| 25D | 2 ¹ / ₂ " Domed Concrete Marker (Aluminum) | 13.52 | 12.20 | 11.44 | 10.73 | 1 811 |
| 35D | 3 ¹ / ₂ " Domed Concrete Marker (Aluminum) | 12.88 | 12.58 | 12.17 | 11.67 | on Die |
| .35F | 3½" Flat Concrete Marker (Aluminum) | 19.59 | 17.34 | 15.68 | 14.82 | |
| 4D | 4" Domed Concrete Marker (Aluminum) | 16.38 | 14.83 | 12.76 | 12.01 | |
| ORBITAI | L FORGED SILICON BRONZE (LEAD FREE) | | | | | Bernt |
| tem # | Description | 1-10 | 11-24 | 25-99 | 100+ | MADE |
| D2B | 2" Domed Concrete Marker (Bronze) | 14.72 | 13.29 | 11.26 | 10.28 | AMED |
| 25DB | 2 ¹ / ₂ " Domed Concrete Marker (Bronze) | 33.54 | 30.18 | 28.22 | 26.83 | |
| 35DB | 3 ¹ / ₂ " Domed Concrete Marker (Bronze) | 45.20 | 40.95 | 36.87 | 34.47 | *** |
| 35FB | 3 ¹ /2" Flat Concrete Marker (Bronze) | 51.24 | 45.39 | 41.25 | 38.45 | |
| C4DB | 4" Domed Concrete Marker (Bronze) | 54.24 | 51.50 | 46.41 | 42.41 | |
| | e for stamping 11+ markers. Visit www.berntsen.com rd lettering & centermarks only. Please call for quotation | | | | d | |
| B. SDS-N | MAX COUNTERSINK DRILL BITS | | | | | |
| tem # | Description | Price | | 1000 | | |
| D2DRL | .M 2" Countersink Drill Bit (3-piece) | 285.00 | | and the | В | 0 4 |
| 25DRL | M 2 ¹ / ₂ " Countersink Drill Bit (3-piece) | 317.00 | 0 | - | Hitere | |
| C35DRL | M 3 ¹ / ₂ " Countersink Drill Bit (3-piece) | 397.00 | 10 | A. | CONTRACTOR OF | 1990 |
| C4DRLN | | 423.00 | | | and the | III A LAN |
| | bits countersink top of marker only (not the stem). W the stem hole. Drill bits also available in Spline and SD | | "drill bit | | | - Contraction |
| | | | | | | ARNIN |
| | TY WASHERS AND NAILS | | | | | |
| he cen | ter hole is sized to fit many types of aspha | | | custom | | |
| he cen tampeo | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marki | ing utilities | | | 500+ | |
| he cent tamped tem# | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marki Description | ing utilities 25-99 | 100-249 | 250-499 | | BARIED CABL |
| he cent tamped tem# | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 11/2" Diameter Aluminum Washer | ing utilities 25-99 1.38 | 100-249 1.08 | 250-499 0.92 | 0.71 | ERIED CARL |
| The cent tamped tem# AT1 SST1 | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 11/2" Diameter Aluminum Washer 11/2" Diameter Stainless Steel | ing utilities 25-99 1.38 1.43 | 100-249 1.08 1.12 | 250-499 0.92 0.97 | 0.71 0.92 | BIRIED CARL |
| The cent tamped tem# AT1 SST1 SST1 | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 11/2" Diameter Aluminum Washer 11/2" Diameter Stainless Steel 11/2" Diameter Brass Washer | ing utilities 25-99 1.38 1.43 2.24 | 100-249 1.08 1.12 2.08 | 0 250-499 0.92 0.97 1.78 | 0.71 0.92 1.63 | EINTED CARL |
| The cent tamped tem# AT1 ST1 ST1 ST2 | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 11/2" Diameter Aluminum Washer 11/2" Diameter Stainless Steel 11/2" Diameter Brass Washer 2" Diameter Brass Washer | ing utilities 25-99 1.38 1.43 2.24 2.91 | 100-249 1.08 1.12 2.08 2.58 | 250-499 0.92 0.97 1.78 2.43 | 0.71 0.92 | ERIED CARL |
| The cent tamped tem# AT1 SST1 ST1 ST2 MAGNA | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 11/2" Diameter Aluminum Washer 11/2" Diameter Stainless Steel 11/2" Diameter Brass Washer 2" Diameter Brass Washer NIL15 11/2" Magnetized Asphalt Nail | ing utilities 25-99 1.38 1.43 2.24 2.91 16.00 P | 100-249 1.08 1.12 2.08 2.58 Per Box c | 250-499 0.92 0.97 1.78 2.43 of 100 | 0.71 0.92 1.63 | ERIED CARL |
| The cent tamped tem# AT1 SST1 ST1 ST2 MAGNA MAGNA | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 11/2" Diameter Aluminum Washer 11/2" Diameter Stainless Steel 11/2" Diameter Brass Washer 2" Diameter Brass Washer NIL15 11/2" Magnetized Asphalt Nail | ing utilities 25-99 1.38 1.43 2.24 2.91 16.00 P 20.00 P | 100-249 1.08 1.12 2.08 2.58 Per Box c Per Box c | 250-499 0.92 0.97 1.78 2.43 of 100 | 0.71 0.92 1.63 | EIRTED CASU |
| he cent tamped tem# AT1 SST1 BT2 MAGNA MAGNA Io charge | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 1½" Diameter Aluminum Washer 1½" Diameter Stainless Steel 1½" Diameter Brass Washer 2" Diameter Brass Washer 2" Diameter Brass Washer AIL15 1½" Magnetized Asphalt Nail AIL2 2" Magnetized Asphalt Nail for stamping 100+ washers. Visit www.berntsen.com | ing utilities 25-99 1.38 1.43 2.24 2.91 16.00 P 20.00 P | 100-249 1.08 1.12 2.08 2.58 Per Box c Per Box c | 250-499 0.92 0.97 1.78 2.43 of 100 | 0.71 0.92 1.63 | ETHIED CARL |
| he ceni tampec tem# AT1 ST1 BT1 BT2 MAGNA MAGNA Jo charge | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 1½" Diameter Aluminum Washer 1½" Diameter Stainless Steel 1½" Diameter Brass Washer 2" Diameter Brass Washer 2" Diameter Brass Washer AIL15 1½" Magnetized Asphalt Nail AIL2 2" Magnetized Asphalt Nail e for stamping 100+ washers. Visit www.berntsen.com ERIES MARKERS AND DRILL BIT | ing utilities 25-99 1.38 1.43 2.24 2.91 16.00 P 20.00 P | 100-249 1.08 1.12 2.08 2.58 Per Box c Per Box c g layout. | 250-499 0.92 0.97 1.78 2.43 of 100 of 100 | 0.71 0.92 1.63 1.92 | AREL |
| he ceni tampec tem# AT1 ST1 BT2 MAGNA MAGNA Jo charge D. BP SI Berntser | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 1½" Diameter Aluminum Washer 1½" Diameter Stainless Steel 1½" Diameter Brass Washer 2" Diameter Brass Washer 2" Diameter Brass Washer NL15 1½" Magnetized Asphalt Nail NL2 2" Magnetized Asphalt Nail e for stamping 100+ washers. Visit www.berntsen.com ERIES MARKERS AND DRILL BIT In BP series copper markers install faster that | ing utilities 25-99 1.38 1.43 2.24 2.91 16.00 F 20.00 F n for stamping an any oth | 100-249 1.08 1.12 2.08 2.58 Per Box c Per Box c glayout. | 250-499 0.92 0.97 1.78 2.43 of 100 of 100 | 0.71 0.92 1.63 1.92 | E CARL |
| he ceni tampec tem# AT1 ST1 ST1 BT2 MAGNA MAGNA Io charge D. BP SI Berntser ve offer | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 1½" Diameter Aluminum Washer 1½" Diameter Stainless Steel 1½" Diameter Brass Washer 2" Diameter Brass Washer 2" Diameter Brass Washer AIL15 1½" Magnetized Asphalt Nail AIL2 2" Magnetized Asphalt Nail e for stamping 100+ washers. Visit www.berntsen.com ERIES MARKERS AND DRILL BIT | ing utilities 25-99 1.38 1.43 2.24 2.91 16.00 F 20.00 F n for stamping an any oth | 100-249 1.08 1.12 2.08 2.58 Per Box c Per Box c glayout. | 250-499 0.92 0.97 1.78 2.43 of 100 of 100 | 0.71 0.92 1.63 1.92 | AREL |
| he ceni tampec tem# AT1 ST1 ST1 BT2 MAGNA | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to marking Description 1½" Diameter Aluminum Washer 1½" Diameter Aluminum Washer 1½" Diameter Stainless Steel 1½" Diameter Brass Washer 2" Diameter Brass Washer 3" D | ing utilities 25-99 1.38 1.43 2.24 2.91 16.00 F 20.00 F n for stamping an any oth | 100-249 1.08 1.12 2.08 2.58 Per Box c Per Box c Per Box c separate | 250-499 0.92 0.97 1.78 2.43 of 100 of 100 | 0.71 0.92 1.63 1.92 | AREL |
| The cent tamped tem# AT1 ST1 ST1 ST2 MAGNA MAGNA No charge D. BP SI Berntser we offer | ter hole is sized to fit many types of aspha d for a fast & inexpensive solution to markin Description 1½" Diameter Aluminum Washer 1½" Diameter Stainless Steel 1½" Diameter Brass Washer 2" Diameter Brass Washer 2" Diameter Brass Washer NL15 1½" Magnetized Asphalt Nail NL2 2" Magnetized Asphalt Nail NL2 2" Magnetized Asphalt Nail e for stamping 100+ washers. Visit www.berntsen.com ERIES MARKERS AND DRILL BIT In BP series copper markers install faster that r. Just drill a hole using our countersink dri ansion plug and tap in the marker. | ing utilities 25-99 1.38 1.43 2.24 2.91 16.00 P 20.00 P n for stamping an any oth Ill bit (sold s | 100-249 1.08 1.12 2.08 2.58 Per Box c Per Box c Per Box c separate | 250-499 0.92 0.97 1.78 2.43 of 100 of 100 ete marke ly), insert | 0.71 0.92 1.63 1.92 | AREL |



OVER 100 UTILITY MARKING DESIGNS AVAILABLE ONLINE AT WWW.BERNTSEN.COM

CURB MARKERS

Permanently mark your underground utilities and storm drains where conventional signage cannot be used. Curb Markers are available in bright APWA colors for a uniform, professional look. Aid location, alert potential excavators and protect your equipment.

E. DAMAGE PREVENTION & LOCATING MARKERS

| | Description 2½" Curb Marker Non-Reflectiv 2½" Curb Marker Reflective | ve | 50-499 2.16 2.73 | 500-999 2.01 2.42 | 1000+ 1.80 2.06 |
|------------|--|-------|--------------------------------------|---------------------------------------|-------------------------------------|
| F. STORM D | RAIN MARKERS | | | | |
| Item # | Description | 10-24 | 25-49 | 50-249 | 250+ |
| DAS-SDMC | 4" Circle Storm Drain Marker | 5.99 | 4.79 | 3.35 | 2.73 |
| DAS-SDMR | 3" x 5¼" Storm Drain Marker | 4.99 | 3.99 | 2.70 | 2.40 |
| | | | | | |

| RS-2225 | Marker Adhesive 5 oz. Tube (Approx. 30 Markers) | 7.15 each |
|----------|---|------------|
| RS-22211 | Marker Adhesive 11 oz. Cartridge (Approx. 60 Markers) | 12.30 each |

G. SOIL MARKERS

Provide a highly visible, low profile "CALL BEFORE YOU DIG" warning sign. Soil Markers are a good solution for residential areas where marker posts are considered unsightly. Available in all APWA colors.

| Item # | Description | 25-99 | 100-249 | 250+ |
|--------|---|-------|---------|------|
| SM400U | 4" dia. Soil Marker w/ 8" barbed stake | 6.70 | 5.70 | 5.15 |
| SM700U | 7" dia. Soil Marker w/ 13" barbed stake | 14.40 | 9.25 | 8.20 |

H. A-TAG Pavement Markers

A-TAG markers are embedded into concrete or asphalt. These brightly colored UV-stable polypropylene markers are slightly recessed so even snowplows will not destroy them.

| ltem # | Description | 50-99* | 100-499* | 500+* |
|--------------------------------------|--------------------------------------|--------|----------|-------|
| ATAGNCT-S | Pavement Marker for new construction | 2.01 | 1.80 | 1.55 |
| ATAGRFT-S | Pavement Marker for retrofit | 2.01 | 1.80 | 1.55 |
| *Device a few standard langed - Mait | | | | |

*Pricing for standard legends - Visit www.berntsen.com for custom legend pricing

ATAG DRILLBIT Retrofit Drill Bit (SDS-Plus) 283.2

FIB/

Ε

POL

S TO WAY

WARNING

PIPELINE

F

G

Н

THE BEST-KNOWN NAME IN LOCATORS

DEPENDABLE & SENSITIVE INSTRUMENTS **FIND IT FAST!**

SCHONSTEDT® GA-52Cx

The one piece of equipment you'll never have to worry about – it just works! This is the original 'yellow stick' that surveyors have relied on for decades. Simple controls, sturdy construction, and a seven-year warranty make this locator 'a must' for any survey shop. The Cx model updates the classic GA-52 with improved sensitivity so you'll find ferrous monuments even when they're deep, damaged, or nearly rusted away. Hard shell plastic case included.

Item # Description and Price GA52Cx Berntsen Value Price 740.00 Suggested List Price 915.00





SCHONSTEDT® GA-72Cd

Get more information from the digital graph. The GA-72Cd uses the same

circuitry as the GA-52Cx, and adds a digital graph that shows signal strength and polarity, and more control options. You can determine the orientation of underground objects and use the visual guides to pinpoint the location. Headset available, but not needed in most conditions. Comes with five-year warranty and hard shell plastic carrying case.

Item # Description and Price

GA72Cd Berntsen Value Price 865.00 Suggested List Price 1040.00

DEEP-1 UNDERGROUND MAGNETIC UTILITY MARKERS

A low cost way to preserve underground utility locations. They're easy to install – just bury them vertically above any underground pipeline. Available in all APWA utility colors. Markers packed 300/case.

| Item # | Description | 1-299 | 300+ |
|---------|------------------------|-------|------|
| DEEP1UY | DEEP1 Yellow (Gas) | 2.10 | 1.70 |
| DEEP1FO | DEEP1 Orange (Telecom) | 2.10 | 1.70 |
| DEEP1UR | DEEP1 Red (Electric) | 2.10 | 1.70 |
| DEEP1UG | DEEP1 Green (Sewer) | 2.10 | 1.70 |
| DEEP1UB | DEEP1 Blue (Water) | 2.10 | 1.70 |
| | | | |



UTILITY FLAGGING

UTILITY MARKING FLAGS

Presco high-quality marking flags are ideal for above ground marking for utility construction and line locating. These flags ensure consistent communication and long-lasting visibility to your project. 1000 flags per box. Available in all APWA colors.

Price

| ltem # | Description |
|----------|---------------------------------|
| MFLAG221 | 21/2" X 31/2" on 21" Wire Staff |
| MFLAG230 | 21/2" X 31/2" on 30" Wire Staff |
| MFLAG421 | 4" X 5" on 21" Wire Staff |
| MFLAG430 | 4" X 5" on 30" Wire Staff |

PRINTED FLAGS – Over 50+ designs to choose from

Item # Description **MFLAG221SL** 2¹/₂" X 3¹/₂" on 21" Wire Staff **MFLAG230SL** 2¹/₂" X 3¹/₂" on 30" Wire Staff MFLAG421SL 4" X 5" on 21" Wire Staff MFLAG430SL 4" X 5" on 30" Wire Staff MFTOOL Marking Flag Insertion Tool (For custom artwork add \$30.00 setup charge)

67.00/box 81.00/box 73.00/box 86.00/box Price 89.00/box 105.00/box 96.00/box 113.00/box 102.00 each

UTILITY ROLL FLAGGING

Colorful and highly visible, Presco solid color roll flagging is the most durable, long lasting outdoor flagging available. Min. order: 12 rolls (1 box)

| ltem # | Description | 12-132 | 144+ | |
|--------|---|--------|------|--|
| RF150 | Solid Glo Color Roll Flagging 150 ft/roll | 1.60 | 1.39 | |
| RF300 | Solid Color Roll Flagging 300 ft/roll | 1.60 | 1.39 | |

Available in Glo or Standard colors: Yellow, Orange, Red, Blue, Green, Pink & White

UTILITY MARKING WHISKERS

Presco 6" Marking Whiskers are an alternative marking choice for underground utility locating. Virtually indestructible, these APWA color-coded Marking Whiskers spring back up when run over by lawn mowers, graders and heavy equipment. They are easily and conveniently attached to wood stakes or to 60-penny nails (not included). Use them alone or in conjunction with other marking products.

Price

125.15/box

- Item # Description
- MK WHISKERS

6" Marking Whiskers (1000 per box) Available in Glo Orange, Glo Pink, Yellow, Red, Orange, Green & Blue

DETECTABLE AND NON-DETECTABLE WARNING TAPE

Mark all of your underground utilities with Presco underground warning tape. The non-detectable tape acts as a highly-visible proximity device that will resist the elements and not turn black over time. The detectable tape is used for accurately locating and preventing damage to valuable underground utility installations. It has an aluminum backing to make underground assets easy to find using a non-ferrous locator.

| ltem # UWTND3X300 | Description Non-Detectable Underground Warning Tape 3" x 300' Roll (16 rolls per case) | Price 92.00 | RIED WATERLIN | EBURIED BELOW |
|----------------------|--|-----------------------|---------------|----------------|
| UWTD3X1000 | Detectable Underground Warning Tape 3" x 1000' Rolls (8 rolls per case) | 382.00 | RIED WATERLIN | INTER ELECTRIC |

DISCOVER ONLINE THE ADVANTAGES OF ORDERING



ONLINE CUSTOMIZATION

Create and preview your custom utility markers and posts before you order. We even keep your previous layouts for easy re-ordering.

REAL-TIME SHIPPING CHARGES

Choose your method of UPS shipping (ground, next day air, etc.) and we'll calculate your shipping charges as you add to your order.

DELIVERY TRACKING

Tracking number and delivery confirmation sent via email for all orders shipping out of our Madison office.

(m)

ONLINE ORDER HISTORY

View order status on all recent orders in one simple interface as well as view a complete order history.

Berntsen® is a registered trademark of Berntsen International Inc. Copyright 1997 - 2014

Terms Of Use | Privacy Statement

f in You

FIND US ON FACEBOOK, LINKEDIN AND YOUTUBE

MARKING THE INFRASTRUCTURE OF THE WORLD™ 877.265.2306 WWW.BERNTSEN.COM

Published by Berntsen International, Inc. • PO Box 8670 • Madison, WI 53708-8670 USA Telephone: 877.265.2306 • Fax: 800.249.9794 • www.berntsen.com • utilitymark@berntsen.com Berntsen 2014 Utility Catalog Prices are subject to change without notice.